## NSN 5950-00-783-3761

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-783-3761

## **Reliability Indicator:**

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

2.125 inches single mounting facility single center group

## Center To Center Distance Between Mounting Facilities Parallel To Width:

1.750 inches single mounting facility single center group

## **Overall Height:**

3.750 inches

## **Frequency Rating:**

400.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

#### **Winding Shielding Method:**

Internal shield grounded to core single component

## **Body Length:**

2.750 inches

#### **Body Width:**

2.375 inches

## **Maximum Operating Temp:**

135.0 degrees celsius

## Inclosure Type:

Hermetically sealed with oil

## **Mounting Facility Quantity:**

4 single group

## **Mounting Method:**

Threaded hole single group

## **Winding Function And Quantity:**

1 primary single component and 7 secondary single component

#### **Thread Size:**

0.112 inches single group

## **Winding Operating Current:**

300.0 milliamperes ac single component 3rd secondary

## **Winding Operating Voltage:**

84.00 ac volts single component 2nd secondary

#### **Special Features:**

1 primary; 7 secondaries

## **Thread Series Designator:**

Unc single group

## **Terminal Type And Quantity:**

24 wire hook

## Shelf Life:

N/a

# **NSN 5950-00-783-3761**Power Transformer - Page 2 of 2



	• •				
In	18	<i>(</i> )+	МЛО	201	ure:

Demilitarization:

No

Fiig:

A058b0