NSN 5950-00-792-2920

Reactor - Page 1 of 2



<u> </u>
View Online at https://aerobasegroup.com/nsn/5950-00-792-2920
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.000 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.000 inches single mounting facility single center group
Inductance Type:
Fixed
Inductance Rating:
500.00 microhenries single component single winding
Frequency Rating:
800.0 hertz single component
Body Length:
2.880 inches
Body Width:
2.880 inches
Body Height:
2.250 inches
Winding Quantity:
1 single component
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Rating Method:

Electrical single component single winding

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.164 inches single group

Winding Operating Current:

11.0 amperes dc single component single winding

Dc Resistance Rating In Ohms:

0.100 single component single winding

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

2 threaded stud

Shelf Life:

N/a

NSN 5950-00-792-2920

Reactor - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A058b0