NSN 5950-00-799-2437

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-799-2437

Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.813 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.250 inches single mounting facility single center group
Overall Height:
2.675 inches
Frequency Rating:
16.0 hertz single component and 25.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to inclosure single component
Body Length:
3.780 inches
Body Width:
3.410 inches
Body Height:
2.300 inches
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
1 primary single component and 1 secondary single component
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
0.164 inches single group
Winding Operating Current:
4.0 milliamperes dc single component single secondary
Winding Operating Voltage:
5.00 ac kilovolts single component single secondary
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
7 turret

Shelf Life:

N/a

NSN 5950-00-799-2437

Power Transformer - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A058b0