

View Online at <https://aerobasegroup.com/nsn/5950-00-800-1242>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.734 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.047 inches single mounting facility single center group

Overall Height:

5.200 inches

Frequency Rating:

57.0 hertz single component and 63.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield brought out to terminal single component

Body Length:

Between 4.560 inches and 4.590 inches

Body Width:

Between 3.870 inches and 4.000 inches

Body Height:

Between 4.750 inches and 4.940 inches

Maximum Operating Temp:

75.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

8 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thready Qty Per Inch (tpi):

20 single group

Thread Size:

0.250 inches single group

Winding Operating Current:

30.0 amperes ac single component single secondary

Winding Operating Voltage:

6.30 ac volts single component single secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

8 standoff, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0