

View Online at <https://aerobasegroup.com/nsn/5950-00-808-6167>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

3.312 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.687 inches single mounting facility single center group

**Frequency Rating:**

60.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Winding Shielding Method:**

Internal shield grounded to core single component

**Body Length:**

4.250 inches

**Body Width:**

3.625 inches

**Body Height:**

5.500 inches

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded stud single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Thread Qty Per Inch (tpi):**

32 single group

**Thread Size:**

0.190 inches single group

**Winding Operating Current:**

1.06 amperes ac single component single secondary

**Winding Operating Voltage:**

117.00 ac volts single component single primary and 118.50 ac volts single component single primary and 120.00 ac volts single component single primary and 121.50 ac volts single component single primary and 123.00 ac volts single component single primary

**Thread Series Designator:**

Unf single group

**Terminal Type And Quantity:**

9 standoff, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0