

View Online at <https://aerobasegroup.com/nsn/5950-00-808-9080>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.750 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.750 inches single mounting facility single center group

Mounting Hole Diameter:

0.094 inches single group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Delta-wye

Winding Shielding Method:

Internal shield grounded to core single component

Body Length:

4.000 inches

Body Width:

2.625 inches

Body Height:

3.000 inches

Maximum Operating Temp:

115.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 4 secondary single component

Winding Operating Current:

8.0 milliamperes ac single component 4th secondary and 38.4 milliamperes ac single component 4th secondary

Winding Operating Voltage:

78.00 ac pounds per hour dry single component 3rd secondary and 92.00 ac pounds per hour with retaining chain single component 3rd secondary

Terminal Type And Quantity:

15 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0