NSN 5950-00-810-4471

Power Transformer - Page 1 of 1



| View Online at https://aerobasegroup.com/nsn/5950-00-810-4471 |
|---|
| Reliability Indicator: |
| Not established |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 2.287 inches single mounting facility single center group and 2.307 inches single mounting facility single center group |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 1.849 inches single mounting facility single center group and 1.869 inches single mounting facility single center group |
| Frequency Rating: |
| 60.0 hertz single component |
| Input-output Phase Relationship: |
| Single phase to single phase single component |
| Body Length: |
| 3.070 inches |
| Body Width: |
| 2.630 inches |
| Body Height: |
| 4.250 inches |
| Maximum Operating Temp: |
| 130.0 degrees celsius |
| Inclosure Type: |
| Hermetically sealed |
| Mounting Facility Quantity: |
| 4 single group |
| Mounting Method: |
| Threaded hole single group |
| Winding Function And Quantity: |
| 1 primary single component and 1 secondary single component |
| Thread Size: |
| 0.164 inches single group |
| Winding Operating Voltage: |
| 26.00 ac volts single component single primary |
| Thread Series Designator: |
| Unc single group |
| Terminal Type And Quantity: |
| 14 tab, solder lug |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |

Fiig: A058b0