

View Online at <https://aerobasegroup.com/nsn/5950-00-810-6784>

**Reliability Indicator:**

Not established

**Mounting Hole Diameter:**

0.159 inches single group

**Frequency Rating:**

400.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Maximum Transformer Power Rating:**

3.0 volt-ampere single component

**Body Length:**

1.750 inches

**Body Width:**

1.310 inches

**Body Height:**

1.310 inches

**Maximum Operating Temp:**

110.0 degrees celsius

**Distance Between Mounting Facility Centers:**

1.010 inches single mounting facility single center group

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

2 single group

**Mounting Method:**

Unthreaded hole single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Winding Operating Current:**

187.0 milliamperes ac single component single secondary and 1.5 amperes ac single component single secondary

**Winding Operating Voltage:**

2.00 ac volts single component single secondary and 4.00 ac volts single component single secondary and 6.00 ac volts single component single secondary and 10.00 ac volts single component single secondary and 12.00 ac volts single component single secondary and 14.00 ac volts single component single secondary and 16.00 ac volts single component single secondary

**Terminal Type And Quantity:**

11 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0