# NSN 5950-00-815-0234

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-815-0234

# **Reliability Indicator:**

Not established

## Center To Center Distance Between Mounting Facilities Parallel To Length:

2.297 inches single mounting facility single center group

## Center To Center Distance Between Mounting Facilities Parallel To Width:

1.859 inches single mounting facility single center group

### **Overall Height:**

4.650 inches

#### **Frequency Rating:**

47.0 hertz single component and 63.0 hertz single component

#### Input-output Phase Relationship:

Three phase to three phase single component

#### Winding Shielding Method:

Internal shield grounded to inclosure and core single component

#### **Body Length:**

## 3.060 inches

**Body Width:** 

2.620 inches

#### Body Height:

4.250 inches

## Maximum Operating Temp:

65.0 degrees celsius

### Inclosure Type:

Hermetically sealed

#### **Mounting Facility Quantity:**

4 single group

#### Mounting Method:

Threaded stud single group

## Winding Function And Quantity:

1 primary single component and 1 secondary single component

#### Thready Qty Per Inch (tpi):

32 single group

#### **Thread Size:**

0.164 inches single group

#### Winding Operating Current:

1.03 amperes ac single component single secondary

## Winding Operating Voltage:

208.00 ac volts single component single primary

### **Thread Series Designator:**

Unc single group

## **Terminal Type And Quantity:**

12 tab, solder lug

# NSN 5950-00-815-0234

Power Transformer - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0

