

View Online at <https://aerobasegroup.com/nsn/5950-00-818-9241>

**Reliability Indicator:**

Not established

**Frequency Rating:**

400.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Winding Shielding Method:**

Internal shield brought out to terminal single component

**Body Length:**

Between 1.250 inches and 1.351 inches

**Body Width:**

Between 1.250 inches and 1.310 inches

**Body Height:**

Between 1.620 inches and 1.750 inches

**Maximum Operating Temp:**

100.0 degrees celsius

**Distance Between Mounting Facility Centers:**

1.230 inches single mounting facility single center group and 1.270 inches single mounting facility single center group

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

2 single group

**Mounting Method:**

Threaded stud single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Thread Size:**

0.138 inches single group

**Winding Operating Current:**

500.0 milliamperes dc single component single secondary

**Winding Operating Voltage:**

300.00 ac volts single component single secondary

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

6 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A058b0