NSN 5950-00-822-2544

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-822-2544

Reliability Indicator:	
Not established	
Center To Center Distance Between Mounting Facilities Parallel To Length	1:
9.985 inches single mounting facility single center group	
Center To Center Distance Between Mounting Facilities Parallel To Width:	
2.985 inches single mounting facility single center group	
Frequency Rating:	
60.0 hertz single component	
Input-output Phase Relationship:	
Three phase to three phase single component	
Winding Shielding Method:	
Internal shield brought out to terminal single component	
Body Length:	
10.015 inches	
Body Width:	
4.250 inches	
Body Height:	
9.000 inches	
Inclosure Type:	
Fully enclosed	
Mounting Facility Quantity:	
4 single group	
Mounting Method:	
Threaded hole single group	
Winding Function And Quantity:	
1 primary single component and 3 secondary single component	
Thready Qty Per Inch (tpi):	
20 single group	
Thread Size:	
0.250 inches single group	
Winding Operating Current:	
650.0 milliamperes dc single component 2nd secondary	
Winding Operating Voltage:	
185.00 ac volts single component 2nd secondary	
Thread Series Designator:	
Unc single group	
Terminal Type And Quantity:	
13 tab, solder lug	
Shelf Life:	
N/a	

--

Unit Of Measure:

NSN 5950-00-822-2544

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0