## NSN 5950-00-824-4811

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-824-4811
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.937 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.625 inches single mounting facility single center group
Frequency Rating:
400.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to inclosure single component
Body Length:
2.562 inches
Body Width:
2.250 inches
Body Height:
3.875 inches
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
1 primary single component and 4 secondary single component
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
0.138 inches single group
Winding Operating Current:
7.0 amperes ac single component 3rd secondary
Winding Operating Voltage:
8.10 ac volts single component 4th secondary and 12.60 ac volts single component 4th secondary
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
9 solder stud and 2 standoff, threaded stud
Shelf Life:
N/a

\_\_\_

**Unit Of Measure:** 

--

## NSN 5950-00-824-4811

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0