NSN 5950-00-824-4952

Reliability Indicator:

Power Autotransformer Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-824-4952

Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.770 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.370 inches single mounting facility single center group
Frequency Rating:
380.0 hertz single component and 420.0 hertz single component
Input-output Phase Relationship:
Three phase to three phase single component
Body Length:
3.750 inches
Body Width:
2.000 inches
Body Height:
2.500 inches
Inclosure Type:
Open
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded hole single group
Winding Function And Quantity:
1 primary, fixed autotransformer type single component
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
0.138 inches single group
Winding Operating Current:
1.2 amperes ac single component single primary output and 250.0 milliamperes ac single component single primary output and 800.0
milliamperes ac single component single primary output and 160.0 milliamperes ac single component single primary output
Winding Power Rating:
137.0 volts-amperes single component single primary input
Winding Operating Voltage:
8.70 ac volts single component single primary output and 15.00 ac volts single component single primary output and 26.00 ac volts single
component single primary output and 66.50 ac volts single component single primary output
Thread Series Designator:
Unc single group
Terminal Type And Quantity:

--

N/a

16 tab, solder lug

Unit Of Measure:

Shelf Life:

NSN 5950-00-824-4952

Power Autotransformer Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0