

View Online at <https://aerobasegroup.com/nsn/5950-00-826-8862>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.750 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.750 inches single mounting facility single center group

Frequency Rating:

350.0 hertz single component and 1.2 kilohertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

4.500 inches

Body Width:

4.500 inches

Body Height:

2.687 inches

Inclosure Type:

Partially enclosed, half shell

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary, fixed autotransformer type single component

Thread Qty Per Inch (tpi):

28 single group

Thread Size:

0.250 inches single group

Winding Operating Current:

6.0 amperes ac single component single primary output and 7.8 amperes ac single component single primary output

Winding Operating Voltage:

120.00 ac volts single component single primary output and 140.00 ac volts single component single primary output

Special Features:

Unit has auxillary switch

Thread Series Designator:

Unf single group

Terminal Type And Quantity:

4 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0