

View Online at <https://aerobasegroup.com/nsn/5950-00-831-4115>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

4.375 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.000 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Delta-delta

Winding Shielding Method:

Internal shield grounded to core and brought out to terminal single component

Body Length:

5.000 inches

Body Width:

3.000 inches

Body Height:

2.000 inches

Maximum Operating Temp:

105.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Cooling Method:

Self-cooled

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Thread Size:

0.138 inches single group

Winding Operating Current:

53.0 milliamperes ac single component 2nd secondary

Winding Operating Voltage:

20.70 ac volts single component 2nd secondary and 45.80 ac volts single component 2nd secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

48 solder stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0