NSN 5950-00-832-5850

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-832-5850

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.219 inches single mounting facility single center group and 2.221 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.630 inches single mounting facility single center group and 1.650 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Scott

Winding Shielding Method:

Internal shield grounded to inclosure single component

Body Length:

2.860 inches

Body Width:

2.440 inches

Body Height:

2.300 inches

Maximum Operating Temp:

85.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thread Size:

0.138 inches single group

Winding Operating Current:

2.85 amperes ac single component single secondary

Winding Operating Voltage:

22.30 ac volts single component single secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

7 tab, solder lug

Specification Data:

99971-885c671 manufacturers specification control

NSN 5950-00-832-5850

Power Transformer - Page 2 of 2



_				-		
C	h	0	Iŧ.		ife:	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0