## NSN 5950-00-832-9443

Reactor-transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-832-9443 **Reliability Indicator:** Not established **Overall Length:** 3.500 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 3.125 inches single mounting facility single center group Center To Center Distance Between Mounting Facilities Parallel To Width: 2.875 inches single mounting facility single center group **Overall Height:** 3.000 inches **Overall Width:** 3.260 inches **Inductance Rating:** 2.00 millihenries 1st component single winding Frequency Rating: 400.0 hertz all components Input-output Phase Relationship: Three phase to three phase single component **Primary To Secondary Turn Ratio:** 1 to 0.0507 2nd component Inclosure Type: Hermetically sealed **Mounting Facility Quantity:** 4 single group **Mounting Method:** Unthreaded hole single group **Rating Method:** Electrical 1st component single winding **Winding Operating Current:** 0.005 milliamperes dc single component single winding Dc Resistance Rating In Ohms: 0.080 single component single winding **Winding Operating Voltage:** 120.00 ac pounds per hour dry 2nd component single primary and 208.00 ac pounds per hour with retaining chain 2nd component single primary **Terminal Type And Quantity:** 6 tab, solder lug and 5 wire hook Shelf Life: N/a **Unit Of Measure:** 

No

Demilitarization:

## NSN 5950-00-832-9443

Reactor-transformer - Page 2 of 2



Fiig:

A058b0