

View Online at <https://aerobasegroup.com/nsn/5950-00-834-0256>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.688 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.969 inches single mounting facility single center group

Frequency Rating:

50.0 hertz single component and 1.0 kilohertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

4.656 inches

Body Width:

3.312 inches

Body Height:

5.250 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

2 primary single component and 5 secondary single component

Thready Qty Per Inch (tpi):

20 single group

Thread Size:

0.250 inches single group

Special Features:

Case metal material, primary windings rated 115 v and 230 v, secondary windings rated 6.3 v at 3.5 amp, 6.5 v at 2.4 amp, 6.5 v at 2.85 amp, 6.5 v at 3.5 amp, 258 at 920 ma

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

14 solder stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0