# NSN 5950-00-834-9001

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-834-9001

# Center To Center Distance Between Mounting Facilities Parallel To Length:

1.437 inches single mounting facility single center group

### Center To Center Distance Between Mounting Facilities Parallel To Width:

1.687 inches single mounting facility single center group

### **Frequency Rating:**

60.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

### Winding Shielding Method:

Internal shield grounded to core and brought out to terminal single component

#### **Body Length:**

Between 2.187 inches and 2.312 inches

**Body Width:** 

2.062 inches

Body Height:

3.125 inches

### **Maximum Operating Temp:**

135.0 degrees celsius

# Inclosure Type:

Hermetically sealed

### Mounting Facility Quantity:

8 single group

### Mounting Method:

Threaded hole single group

### Winding Function And Quantity:

1 primary single component and 1 secondary single component

### Thready Qty Per Inch (tpi):

32 single group

### Thread Size:

0.138 inches single group

### Winding Operating Current:

600.0 milliamperes ac single component single secondary

#### Winding Operating Voltage:

6.30 ac volts single component single secondary

### **Thread Series Designator:**

Unc single group

# Terminal Type And Quantity:

7 standoff, threaded stud

Shelf Life:

N/a

#### Unit Of Measure:

--

# NSN 5950-00-834-9001

Power Transformer - Page 2 of 2

Demilitarization:

No

Fiig:

A058b0

