

View Online at <https://aerobasegroup.com/nsn/5950-00-835-3027>

**Reliability Indicator:**

Not established

**Turn Quantity:**

594 single component single winding

**Inductance Rating:**

2.50 millihenries single component single winding

**Coil Form Type:**

Solid single component

**Body Length:**

0.640 inches

**Body Outside Diameter:**

0.390 inches

**End Application:**

Ticonderoga class cg (47), nimitz class cvn, sturgeon class ssn 9637), wasp class lhd, oliver perry class ffg, los angeles class ssn (688), spruance class dd (963), forrestal class cv, kidd class ddg.

**Inclosure Type:**

Fully enclosed

**Mounting Method:**

Terminal single group

**Rating Method:**

Electrical single component single winding and winding turns single component single winding

**Winding Conductor Size:**

0.00353 inches american wire gage single component single winding

**Winding Operating Current:**

120.0 milliamperes dc single component single winding

**Dc Resistance Rating In Ohms:**

27.000 single component single winding

**Quality Factor:**

75 single component single winding

**Criticality Code Justification:**

Feat

**Special Features:**

Weapon system essential

**Terminal Type And Quantity:**

2 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0