## NSN 5950-00-835-9948

Power Transformer - Page 1 of 2



/iew Online at https://aerobasegroup.com/nsn/5950-00-835-9948

view Online at https://aerobasegroup.com/hsn/5950-00-655-9946
Reliability Indicator:
Not established
Overall Length:
2.312 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.687 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.437 inches single mounting facility single center group
Overall Height:
3.125 inches
Overall Width:
2.062 inches
Frequency Rating:
400.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to inclosure single component
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
1 primary single component and 1 secondary single component
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
0.138 inches single group
Winding Operating Voltage:
20.40 ac volts single component single secondary and 26.00 ac volts single component single secondary and 31.60 ac volts single
component single secondary and 44.00 ac volts single component single secondary and 50.00 ac volts single component single secondary
and 52.00 ac volts single component single secondary and 86.00 ac volts single component single secondary
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
10 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:

No

Demilitarization:

## NSN 5950-00-835-9948

Power Transformer - Page 2 of 2



Fiig:

A058b0