## NSN 5950-00-836-3062

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-836-3062

View Online at https://aerobasegroup.com/nsn/5950-00-836-3062
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.125 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.125 inches single mounting facility single center group
Inductance Type:
Fixed
Inductance Rating:
500.00 millihenries single component single winding
Frequency Rating:
800.0 hertz single component
Body Length:
1.688 inches
Body Width:
1.625 inches
Body Height:
1.625 inches
Winding Quantity:
1 single component
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Thready Qty Per Inch (tpi):
32 single group
Thread Size:
0.138 inches single group
Winding Operating Current:
12.0 milliamperes dc single component single winding
Dc Resistance Rating In Ohms:
120.000 single component single winding
Test Data Document:
10001-2312332 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Thread Series Designator:
Unc single group
Terminal Type And Quantity:

N/a

Shelf Life:

2 standoff, solder lug

## NSN 5950-00-836-3062

Reactor - Page 2 of 2



		• •			
ш	ın	10	<i>(</i> )+	Measure:	

--

Demilitarization:

No

Fiig:

A058b0