## NSN 5950-00-839-9265

Potential Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-839-9265

#### **Reliability Indicator:**

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

1.875 inches single mounting facility single center group

#### Center To Center Distance Between Mounting Facilities Parallel To Width:

1.156 inches single mounting facility single center group

#### Frequency Rating:

380.0 hertz single component and 420.0 hertz single component

#### **Primary To Secondary Turn Ratio:**

1 to 4 single component

**Body Length:** 

2.875 inches

**Body Width:** 

1.594 inches

**Body Height:** 

2.938 inches

#### **Maximum Operating Temp:**

90.0 degrees celsius

#### Installation For Which Designed:

Indoor nonportable

#### **Inclosure Type:**

Fully enclosed

#### **Mounting Facility Quantity:**

4 single group

#### **Mounting Method:**

Threaded hole single group

#### **Winding Function And Quantity:**

1 primary single component and 1 tertiary single component

#### Thready Qty Per Inch (tpi):

32 single group

#### **Thread Size:**

0.138 inches single group

#### **Winding Power Rating:**

115.0 volts-amperes single component single secondary

#### **Winding Operating Voltage:**

50.00 ac volts single component single primary and 200.00 ac volts single component single primary

#### **Thread Series Designator:**

Unc single group

#### **Terminal Type And Quantity:**

9 tab, solder lug

### Shelf Life:

N/a

# NSN 5950-00-839-9265

Potential Transformer - Page 2 of 2



			ure:	

--

Demilitarization:

No

Fiig:

A058b0