

View Online at <https://aerobasegroup.com/nsn/5950-00-839-9265>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.875 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.156 inches single mounting facility single center group

Frequency Rating:

380.0 hertz single component and 420.0 hertz single component

Primary To Secondary Turn Ratio:

1 to 4 single component

Body Length:

2.875 inches

Body Width:

1.594 inches

Body Height:

2.938 inches

Maximum Operating Temp:

90.0 degrees celsius

Installation For Which Designed:

Indoor nonportable

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 tertiary single component

Thready Qty Per Inch (tpi):

32 single group

Thread Size:

0.138 inches single group

Winding Power Rating:

115.0 volts-amperes single component single secondary

Winding Operating Voltage:

50.00 ac volts single component single primary and 200.00 ac volts single component single primary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

9 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0