

View Online at <https://aerobasegroup.com/nsn/5950-00-840-5230>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.985 inches single mounting facility single center group and 3.015 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.485 inches single mounting facility single center group and 1.515 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Three phase to single phase single component and three phase to three phase single component

Transformer Winding Connection Type:

Wye-wye

Body Length:

Between 3.969 inches and 4.031 inches

Body Width:

Between 2.344 inches and 2.406 inches

Body Height:

Between 3.157 inches and 3.219 inches

Maximum Operating Temp:

105.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 3 secondary single component

Thread Size:

0.164 inches single group

Winding Operating Current:

250.0 milliamperes ac single component 2nd secondary

Winding Power Rating:

37.5 volts-amperes single component 1st secondary

Winding Operating Voltage:

92.50 ac volts single component 2nd secondary

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

14 turret

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0