## NSN 5950-00-840-5392

Radio Frequency Coil - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-840-5392

| Reliability Indicator:   |
|--|
| Not established  |
| Turn Quantity:   |
| 37 single component single winding   |
| Inductance Rating:   |
| 9.00 microhenries single component single winding  |
| Coil Form Type:  |
| Hollow single component  |
| Core Construction:   |
| Powdered single component  |
| Adjustment Device Drive Type:  |
| Slotted screw single component   |
| Body Length:   |
| 1.094 inches   |
| Body Outside Diameter:   |
| 0.281 inches   |
| Inclosure Type:  |
| Open   |
| Mounting Method:   |
| Threaded bushing single group  |
| Rating Method:   |
| Electrical single component single winding   |
| Thready Qty Per Inch (tpi):  |
| 32 single group  |
| Thread Size:   |
| 0.190 inches single group  |
| Dc Resistance Rating In Ohms:  |
| 0.480 single component single winding  |
| Quality Factor:  |
| 95 single component single winding   |
| Adjustment Method And Quantity:  |
| 1 adjustable core single component   |
| Test Data Document:  |
| C4547-91820 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; |
| excludes any specification, standard or other document that may be referenced in a basic governing drawing)                            |
| Thread Series Designator:  |
| Unf single group   |
| Terminal Type And Quantity:  |
| 2 collar/ring  |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |

--

## NSN 5950-00-840-5392

Radio Frequency Coil - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0