# NSN 5950-00-843-1772

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-843-1772

# **Reliability Indicator:**

Not established

# Center To Center Distance Between Mounting Facilities Parallel To Length:

1.672 inches single mounting facility single center group and 1.704 inches single mounting facility single center group

#### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.422 inches single mounting facility single center group and 1.454 inches single mounting facility single center group

#### **Inductance Type:**

Fixed

#### **Inductance Rating:**

2.00 millihenries single component single winding

#### Frequency Rating:

60.0 hertz single component

#### **Body Length:**

Between 2.188 inches and 2.312 inches

#### **Body Width:**

Between 1.938 inches and 2.062 inches

#### **Body Height:**

Between 2.938 inches and 3.125 inches

#### Winding Quantity:

1 single component

# **Inclosure Type:**

Hermetically sealed

#### **Mounting Facility Quantity:**

4 single group

# **Mounting Method:**

Threaded stud single group

# **Rating Method:**

Electrical single component single winding

#### **Thread Size:**

0.138 inches single group

# **Winding Operating Current:**

200.0 milliamperes dc single component single winding

# Dc Resistance Rating In Ohms:

73.000 single component single winding

#### **Test Data Document:**

10001-1651663 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

# **Thread Series Designator:**

Unc single group

#### **Terminal Type And Quantity:**

2 wire hook

### Shelf Life:

N/a

# NSN 5950-00-843-1772

Reactor - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A058b0