NSN 5950-00-843-2441

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-843-2441
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.750 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.315 inches single mounting facility single center group
Overall Height:
2.062 inches
Overall Width:
2.312 inches
Mounting Hole Diameter:
0.156 inches single group
Frequency Rating:
400.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield brought out to terminal single component
Body Length:
2.375 inches
Maximum Operating Temp:
105.0 degrees celsius
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
4 single group
Mounting Method:
Flange single group and unthreaded hole single group
Winding Function And Quantity:
1 primary single component and 1 secondary single component
Winding Operating Voltage:
60.00 ac volts single component single secondary
Test Data Document:
81413-145300-000 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing
etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
6 standoff, solder lug
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

NSN 5950-00-843-2441Power Transformer - Page 2 of 2



Fiig:

A058b0