

View Online at <https://aerobasegroup.com/nsn/5950-00-848-8682>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.250 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.938 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

1.968 inches

Body Width:

1.593 inches

Body Height:

1.781 inches

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary, fixed autotransformer type single component

Thread Qty Per Inch (tpi):

40 single group

Thread Size:

0.112 inches single group

Winding Operating Current:

100.0 microamperes ac single component single primary output and 2.25 milliamperes ac single component single primary output and 150.0 microamperes ac single component single primary output and 20.0 microamperes ac single component single primary output and 150.0 microamperes ac single component single primary output and 5.655 milliamperes ac single component single primary output and 5.963 microamperes ac single component single primary output

Winding Operating Voltage:

60.00 ac volts single component single primary input

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

9 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A058b0