## NSN 5950-00-852-5471

Power Transformer - Page 1 of 2

Thread Direction (non-core):

Reliability Indicator:

Err-070



View Online at https://aerobasegroup.com/nsn/5950-00-852-5471

Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
4.063 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
3.313 inches single mounting facility single center group
Frequency Rating:
60.0 hertz single component
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Internal shield grounded to inclosure and core single component
Body Length:
5.063 inches
Body Width:
4.313 inches
Body Height:
5.500 inches
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded stud single group
Winding Function And Quantity:
1 primary single component and 2 secondary single component
Thready Qty Per Inch (tpi):
20 single group
Thread Size:
0.250 inches single group
Winding Operating Current:
100.0 milliamperes ac single component single secondary
Winding Operating Voltage:
60.00 ac volts single component 2nd secondary
Thread Series Designator:
Unc single group
Terminal Type And Quantity:
9 threaded stud
Shelf Life:
N/a

## NSN 5950-00-852-5471

Power Transformer - Page 2 of 2



			ıre:

--

Demilitarization:

No

Fiig:

A058b0