

View Online at <https://aerobasegroup.com/nsn/5950-00-853-1621>

Reliability Indicator:

Not established

Overall Length:

9.500 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

7.950 inches single mounting facility single center group and 8.050 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

6.450 inches single mounting facility single center group and 6.550 inches single mounting facility single center group

Overall Height:

11.780 inches

Overall Width:

8.000 inches

Frequency Rating:

57.0 hertz single component and 63.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Winding Shielding Method:

Internal shield brought out to terminal single component

Maximum Operating Temp:

105.0 degrees celsius

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

8 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thready Qty Per Inch (tpi):

16 single group

Thread Size:

0.625 inches single group

Winding Operating Current:

150.0 milliamperes ac single component single secondary

Winding Operating Voltage:

115.00 ac volts single component single primary and 120.00 ac volts single component single primary

Thread Series Designator:

Un single group

Terminal Type And Quantity:

2 standoff, solder lug and 4 standoff, threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0