

View Online at <https://aerobasegroup.com/nsn/5950-00-854-2156>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

0.969 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

0.750 inches single mounting facility single center group

**Frequency Rating:**

400.0 hertz single component

**Input-output Phase Relationship:**

Single phase to single phase single component

**Winding Shielding Method:**

Internal shield grounded to core and brought out to terminal single component

**Body Length:**

1.175 inches

**Body Width:**

1.050 inches

**Body Height:**

1.250 inches

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded hole single group

**Winding Function And Quantity:**

1 primary single component and 2 secondary single component

**Thready Qty Per Inch (tpi):**

56 single group

**Thread Size:**

0.086 inches single group

**Winding Operating Current:**

2.5 milliamperes dc single component 3rd secondary

**Winding Operating Voltage:**

26.00 ac pounds per hour wet single component single primary

**Special Features:**

Case metal material; shield w/one solder stud type terminal

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

6 solder stud

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0