

View Online at <https://aerobasegroup.com/nsn/5950-00-854-2477>

**Reliability Indicator:**

Not established

**Inductance Rating:**

30.00 millihenries single component single primary

**Impedance Rating In Ohms:**

3900.0 single component single secondary

**Primary To Secondary Turn Ratio:**

3-1/2 to 1 single component

**Pulse Repetition Rate:**

4.2 kilohertz single component

**Winding Shielding Method:**

Internal shield grounded to inclosure and core single component

**Body Length:**

1.060 inches

**Body Width:**

0.810 inches

**Body Height:**

1.120 inches

**Distance Between Mounting Facility Centers:**

0.690 inches single mounting facility single center group

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Quantity:**

2 single group

**Mounting Method:**

Threaded stud single group

**Winding Function And Quantity:**

1 primary single component and 1 secondary single component

**Thread Size:**

0.112 inches single group

**Special Features:**

Secondary winding has a tap that is grounded

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

6 turret

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A058b0