## NSN 5950-00-855-2262

Radio Frequency Coil - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-855-2262

| Reliability Indicator:  |
|---|
| Not established   |
| Turn Quantity:  |
| 33 single component single winding  |
| Inductance Rating:  |
| 5.50 microhenries single component single winding and 8.60 microhenries single component single winding |
| Coil Form Type:   |
| Hollow single component   |
| Core Construction:  |
| Powdered single component   |
| Adjustment Device Drive Type:   |
| Shaft single component  |
| Body Length:  |
| 0.875 inches  |
| Body Outside Diameter:  |
| 0.250 inches  |
| Overall Diameter:   |
| 0.406 inches  |
| Inclosure Type:   |
| Open  |
| Mounting Method:  |
| Threaded bushing single group   |
| Rating Method:  |
| Electrical single component single winding and winding turns single component single winding            |
| Thready Qty Per Inch (tpi):   |
| 32 single group   |
| Thread Size:  |
| 0.190 inches single group   |
| Winding Conductor Size:   |
| 0.00397 inches american wire gage single component single winding                                       |
| Winding Operating Current:  |
| 256.0 milliamperes dc single component single winding   |
| Dc Resistance Rating In Ohms:   |
| 0.490 single component single winding   |
| Quality Factor:   |
| 60 single component single winding  |
| Adjustment Method And Quantity:   |
| 1 adjustable core single component  |
| Thread Series Designator:   |
| Unf single group  |

2 tab, solder lug

**Terminal Type And Quantity:** 

## NSN 5950-00-855-2262

Radio Frequency Coil - Page 2 of 2



|  | Life: |
|--|-------|
|  |       |
|  |       |

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0