NSN 5950-00-856-6275

Radio Frequency Coil - Page 1 of 2

Reliability Indicator:



View Online at https://aerobasegroup.com/nsn/5950-00-856-6275

| Not established |
|---|
| Turn Quantity: |
| 37 single component single winding |
| Overall Height: |
| 2.225 inches |
| Overall Width: |
| 0.687 inches |
| Inductance Rating: |
| 10.00 microhenries single component single winding |
| Coil Form Type: |
| Hollow single component |
| Core Construction: |
| Powdered single component |
| Adjustment Device Drive Type: |
| Slotted screw single component |
| Body Length: |
| 0.687 inches |
| Body Height: |
| 1.750 inches |
| Maximum Operating Temp: |
| 60.0 degrees celsius |
| Distance Between Mounting Facility Centers: |
| 0.656 inches single mounting facility single center group |
| Inclosure Type: |
| Fully enclosed |
| Mounting Facility Quantity: |
| 2 single group |
| Mounting Method: |
| Threaded stud single group |
| Rating Method: |
| Winding turns single component single winding |
| Thready Qty Per Inch (tpi): |
| 40 single group |
| Thread Size: |
| 0.112 inches single group |
| Winding Conductor Size: |
| 0.00445 inches american wire gage single component single winding |
| Winding Operating Current: |
| 30.0 milliamperes dc single component single winding |
| Dc Resistance Rating In Ohms: |
| 35.000 single component single winding |

NSN 5950-00-856-6275

Radio Frequency Coil - Page 2 of 2



| Adjustment I | Method And | Quantity: |
|--------------|------------|-----------|
|--------------|------------|-----------|

1 adjustable core single component

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

2 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A058b0