NSN 5950-00-857-1124

Power Transformer - Page 1 of 2

Reliability Indicator:



View Online at https://aerobasegroup.com/nsn/5950-00-857-1124

| Not established |
|---|
| Overall Length: |
| 4.750 inches |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 3.750 inches single mounting facility single center group |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 2.875 inches single mounting facility single center group |
| Overall Height: |
| 4.750 inches |
| Overall Width: |
| 3.250 inches |
| Mounting Hole Diameter: |
| 0.188 inches single group |
| Frequency Rating: |
| 400.0 hertz single component |
| Input-output Phase Relationship: |
| Single phase to single phase single component |
| Winding Shielding Method: |
| Internal shield grounded to inclosure and core single component |
| Body Width: |
| 3.438 inches |
| Body Height: |
| 3.250 inches |
| Inclosure Type: |
| Fully enclosed |
| Mounting Facility Quantity: |
| 4 single group |
| Mounting Method: |
| Flange single group and unthreaded hole single group |
| Winding Function And Quantity: |
| 1 primary single component and 2 secondary single component |
| Winding Operating Current: |
| 500.0 milliamperes ac single component 1st secondary |
| Winding Operating Voltage: |
| 560.00 ac volts single component 2nd secondary |
| Terminal Type And Quantity: |
| 10 tab, solder lug |
| Shelf Life: |
| N/a |
| Unit Of Measure: |

NSN 5950-00-857-1124

Power Transformer - Page 2 of 2



Demilitarization:

No

Fiig:

A058b0