# NSN 5950-00-858-5886

Power Transformer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-858-5886

## Center To Center Distance Between Mounting Facilities Parallel To Length:

28.000 inches single mounting facility single center group

## Center To Center Distance Between Mounting Facilities Parallel To Width:

50.620 inches single mounting facility single center group

## Mounting Hole Diameter:

1.250 inches single group

## **Frequency Rating:**

60.0 hertz single component

### Input-output Phase Relationship:

Three phase to three phase single component

## Winding Shielding Method:

Internal shield grounded to inclosure single component

### **Body Length:**

126.250 inches

### **Body Width:**

61.250 inches

## Body Height:

100.250 inches

## Inclosure Type:

Fully enclosed

## Mounting Facility Quantity:

6 single group

## **Mounting Method:**

Flange single group and unthreaded hole single group

## Winding Function And Quantity:

1 primary single component and 1 secondary single component

## Winding Operating Current:

2965.0 amperes ac single component single secondary

## Winding Operating Voltage:

2.66 ac minor wet single component single primary and 2.79 ac minor wet single component single primary and 2.80 ac minor wet single component single primary and 2.94 ac minor wet single component single primary and 2.94 ac minor wet single component single primary

## **Special Features:**

2 rows of mtg. Holes, 3 holes per row

## **Terminal Type And Quantity:**

21 threaded stud

### Shelf Life:

N/a

## Unit Of Measure:

---

### Demilitarization:

No

Fiig:

A058b0