

View Online at <https://aerobasegroup.com/nsn/5950-00-858-5886>

Center To Center Distance Between Mounting Facilities Parallel To Length:

28.000 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

50.620 inches single mounting facility single center group

Mounting Hole Diameter:

1.250 inches single group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Winding Shielding Method:

Internal shield grounded to inclosure single component

Body Length:

126.250 inches

Body Width:

61.250 inches

Body Height:

100.250 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

6 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Winding Operating Current:

2965.0 amperes ac single component single secondary

Winding Operating Voltage:

2.66 ac minor wet single component single primary and 2.79 ac minor wet single component single primary and 2.80 ac minor wet single component single primary and 2.87 ac minor wet single component single primary and 2.94 ac minor wet single component single primary

Special Features:

2 rows of mtg. Holes, 3 holes per row

Terminal Type And Quantity:

21 threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0