## NSN 5950-00-862-0003

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-862-0003

Reliability Indicator:
Not established
Overall Length: 1.500 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.000 inches single mounting facility single center group
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.800 inches single mounting facility single center group
Overall Height:
1.200 inches
Overall Width:
1.156 inches
Frequency Rating:
400.0 hertz all components
Input-output Phase Relationship:
Single phase to single phase single component
Winding Shielding Method:
Core grounded and brought out to terminal all components and internal shield brought out to terminal all components
Inclosure Type:
Fully enclosed
Mounting Facility Quantity:
4 single group
Mounting Method:
Threaded hole single group
Winding Function And Quantity:
4 primary single component and 4 secondary single component
Features Provided:
Special marking
Thready Qty Per Inch (tpi):
56 single group
Thread Size:
0.086 inches single group
Winding Operating Current:
7.0 milliamperes ac 1st component 1st primary
Winding Operating Voltage:
7.00 ac volts 8th component 4th secondary
Special Features:
10000 ft maximum altitude
Thread Series Designator:
Unc single group
Terminal Type And Quantity:

18 solder stud

## NSN 5950-00-862-0003

Power Transformer - Page 2 of 2



_				
c	hο	JIF.		ife:
J	116		_	HG.

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0