NSN 5950-00-866-2486

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-866-2486

Reliability Indicator:

Not established

Overall Length:

2.000 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.500 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.000 inches single mounting facility single center group

Overall Height:

1.630 inches

Overall Width:

1.600 inches

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

End Application:

Aircraft, (ac-130h, mc-130h, ec-130e, hc-130); los angeles class ss

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thready Qty Per Inch (tpi):

40 single group

Thread Size:

0.112 inches single group

Winding Operating Current:

2.5 amperes ac single component single secondary

Criticality Code Justification:

Feat

Winding Operating Voltage:

63.60 ac volts single component single secondary

Special Features:

Weapon system essential

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

5 tab, solder lug

NSN 5950-00-866-2486

Power Transformer - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0

