NSN 5950-00-866-2486

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-866-2486	
Reliability Indicator:	
Not established	
Overall Length:	
2.000 inches	
Center To Center Distance Between Mounting Facilities Parallel To Length:	
1.500 inches single mounting facility single center group	
Center To Center Distance Between Mounting Facilities Parallel To Width:	
1.000 inches single mounting facility single center group	
Overall Height:	
1.630 inches	
Overall Width:	
1.600 inches	
Frequency Rating:	
400.0 hertz single component	
Input-output Phase Relationship:	
Single phase to single phase single component	
End Application:	
Aircraft, (ac-130h, mc-130h, ec-130e, hc-130); los angeles class ss	
Inclosure Type:	
Hermetically sealed	
Mounting Facility Quantity:	
4 single group	
Mounting Method:	
Threaded hole single group	
Winding Function And Quantity:	
1 primary single component and 1 secondary single component	
Thready Qty Per Inch (tpi):	
40 single group	
Thread Size:	
0.112 inches single group	
Winding Operating Current:	
2.5 amperes ac single component single secondary	
Criticality Code Justification:	

Feat

Winding Operating Voltage:

63.60 ac volts single component single secondary

Special Features:

Weapon system essential

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

5 tab, solder lug

NSN 5950-00-866-2486

Power Transformer - Page 2 of 2



		fe:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0