

NSN 5950-00-868-3134 Power Transformer - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5950-00-868-3134 **Reliability Indicator:** Not established **Overall Length:** 14.250 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 13.250 inches single mounting facility single center group **Center To Center Distance Between Mounting Facilities Parallel To Width:** 7.000 inches single mounting facility single center group **Mounting Hole Diameter:** 0.310 inches single group Frequency Rating:

47.0 hertz single component and 63.0 hertz single component

Input-output Phase Relationship:

Three phase to three phase single component

Transformer Winding Connection Type:

Delta-wye

Winding Shielding Method:

Internal shield brought out to terminal single component

Body Length:

12.250 inches

Body Width:

9.500 inches

Body Height:

5.000 inches

Maximum Operating Temp:

85.0 degrees celsius

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

6 single group

Mounting Method:

Flange single group and unthreaded hole single group

Winding Function And Quantity:

1 primary single component and 2 secondary single component

Winding Operating Current:

8.20 amperes ac single component 1st secondary

Winding Operating Voltage:

600.00 ac volts single component single primary

Terminal Type And Quantity:

13 turret and 6 standoff, solder lug

Shelf Life:

N/a

NSN 5950-00-868-3134Power Transformer - Page 2 of 2



ш	ın	10	<i>(</i>)+	Measure:	

Demilitarization:

No

Fiig:

A058b0