

View Online at <https://aerobasegroup.com/nsn/5950-00-869-6651>

**Reliability Indicator:**

Not established

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

2.360 inches single mounting facility single center group and 2.390 inches single mounting facility single center group

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.673 inches single mounting facility single center group and 1.703 inches single mounting facility single center group

**Frequency Rating:**

380.0 hertz single component and 420.0 hertz single component

**Input-output Phase Relationship:**

Three phase to three phase single component

**Transformer Winding Connection Type:**

Wye-delta

**Winding Shielding Method:**

Internal shield grounded to core and mounting single component

**Body Length:**

4.250 inches

**Body Width:**

2.500 inches

**Body Height:**

3.500 inches

**Maximum Operating Temp:**

170.0 degrees celsius

**Inclosure Type:**

Fully enclosed

**Mounting Facility Quantity:**

4 single group

**Mounting Method:**

Threaded hole single group

**Winding Function And Quantity:**

1 primary single component and 5 secondary single component

**Thread Size:**

0.164 inches single group

**Winding Operating Current:**

600.0 milliamperes dc single component 1st secondary

**Winding Operating Voltage:**

35.50 ac volts single component 4th secondary

**Special Features:**

One primary winding; five secondary windings

**Thread Series Designator:**

Unc single group

**Terminal Type And Quantity:**

22 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A058b0