

View Online at <https://aerobasegroup.com/nsn/5950-00-873-5628>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.438 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.438 inches single mounting facility single center group

Frequency Rating:

60.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

3.000 inches

Body Width:

3.000 inches

Body Height:

5.250 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded hole single group

Winding Function And Quantity:

1 primary, fixed autotransformer type single component

Thready Qty Per Inch (tpi):

40 single group

Thread Size:

0.112 inches single group

Winding Operating Current:

4.85 amperes ac single component single primary input

Winding Power Rating:

360.0 volts-amperes single component single primary output

Winding Operating Voltage:

79.00 ac volts single component single primary output and 85.00 ac volts single component single primary output and 91.00 ac volts single component single primary output and 97.00 ac volts single component single primary output and 103.00 ac volts single component single primary output and 109.00 ac volts single component single primary output and 115.00 ac volts single component single primary output and 121.00 ac volts single component single primary output and 127.00 ac volts single component single primary output and 133.00 ac volts single component single primary output

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

11 threaded stud

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fig:

A058b0