## NSN 5950-00-874-4461

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-874-4461

Reliability	Indicator:
Not establis	
Center To (	Center Distance Between Mounting Facilities Parallel To Length:
	s single mounting facility single center group
	Center Distance Between Mounting Facilities Parallel To Width:
	s single mounting facility single center group
Frequency	
	single component and 30.0 hertz single component
Input-outpr	ut Phase Relationship:
	e to single phase single component
•	nielding Method:
Internal shie	eld grounded to core single component
Body Leng	
1.875 inche	S
Body Widtl	n:
1.563 inche	S
Body Heigl	nt:
3.875 inche	S
Inclosure T	уре:
Fully enclos	ed
Mounting F	Facility Quantity:
4 single gro	up
Mounting M	lethod:
Threaded h	ole single group
Winding Fu	Inction And Quantity:
2 primary si	ngle component and 2 secondary single component
Thread Size	e:
0.138 inche	s single group
Winding O	perating Current:
2.0 milliamp	eres ac single component all secondary
Winding O	perating Voltage:
6.30 ac volt	s single component all primary
Thread Ser	ies Designator:
Unc single g	group
Terminal T	ype And Quantity:
8 turret	
Shelf Life:	
N/a	
Unit Of Mea	asure:
Demilitariz	ation:
No	

## NSN 5950-00-874-4461

Power Transformer - Page 2 of 2

**Fiig:** A058b0

