# NSN 5950-00-878-8969

Power Transformer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-878-8969

# **Reliability Indicator:**

Not established

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

3.734 inches all mounting facilities single center group

#### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

3.074 inches all mounting facilities single center group

#### **Overall Height:**

5.720 inches

#### **Frequency Rating:**

60.0 hertz single component

#### Input-output Phase Relationship:

Single phase to single phase single component

#### **Winding Shielding Method:**

Internal shield brought out to terminal single component

#### **Body Length:**

4.690 inches

#### **Body Width:**

4.000 inches

#### **Body Height:**

4.940 inches

# **Maximum Operating Temp:**

75.0 degrees celsius

#### **Inclosure Type:**

Hermetically sealed

#### **Mounting Facility Quantity:**

4 2nd group

# **Mounting Method:**

Threaded hole all groupings

# Winding Function And Quantity:

1 primary single component and 2 secondary single component

### Thready Qty Per Inch (tpi):

20 all groupings

#### Thread Size:

0.250 inches all groupings

#### **Winding Operating Current:**

20.0 amperes ac single component 2nd secondary

#### **Winding Operating Voltage:**

6.30 ac volts single component all secondary

#### **Special Features:**

Mtg data 4 hole on top and 4 located on bottom

#### **Thread Series Designator:**

Unc single group

# NSN 5950-00-878-8969

Power Transformer - Page 2 of 2



	I	erminal	<b>Type</b>	And	Quantity:
--	---	---------	-------------	-----	-----------

11 standoff, solder lug

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A058b0