NSN 5950-00-879-3936

Radio Frequency Coil - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-879-3936

| Reliability Indicator: |
|---|
| Not established |
| Overall Length: |
| 1.250 inches |
| Turn Quantity: |
| 13 single component single winding |
| Inductance Rating: |
| 1.02 microhenries single component single winding and 2.00 microhenries single component single winding |
| Coil Form Type: |
| Hollow single component |
| Core Construction: |
| Powdered single component |
| Adjustment Device Drive Type: |
| Slotted screw single component |
| Body Length: |
| 0.438 inches |
| Body Outside Diameter: |
| 0.375 inches |
| Maximum Operating Temp: |
| 65.0 degrees celsius |
| Inclosure Type: |
| Open |
| Mounting Method: |
| Threaded bushing single group |
| Rating Method: |
| Electrical single component single winding and winding turns single component single winding |
| Thready Qty Per Inch (tpi): |
| 32 single group |
| Thread Size: |
| 0.190 inches single group |
| Winding Conductor Size: |
| 0.01126 inches american wire gage single component single winding |
| Winding Operating Current: |
| 250.0 milliamperes dc single component single winding |
| Dc Resistance Rating In Ohms: |
| 0.146 single component single winding |
| Quality Factor: |
| 60 single component single winding |
| Adjustment Method And Quantity: |
| 1 adjustable core single component |
| Thread Series Designator: |

Unf single group

NSN 5950-00-879-3936

Radio Frequency Coil - Page 2 of 2



| Terminal Type And Quantity | Terminal | Type | And | Quantity | / : |
|----------------------------|----------|-------------|-----|----------|------------|
|----------------------------|----------|-------------|-----|----------|------------|

2 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0