## NSN 5950-00-880-2979

Reactor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5950-00-880-2979

Reliability Indicator:
Not established
Inductance Type:
Fixed
Inductance Rating:
3.00 henry single component single winding
Frequency Rating:
5.0 hertz single component and 500.0 hertz single component
Body Length:
0.688 inches
Body Width:
0.375 inches
Body Height:
0.738 inches
Winding Quantity:
1 single component
Inclosure Type:
Fully enclosed
Mounting Method:
Threaded bushing single group
Professional Control of the Control
Rating Method:
Electrical single component single winding
Electrical single component single winding
Electrical single component single winding  Thready Qty Per Inch (tpi):
Electrical single component single winding  Thready Qty Per Inch (tpi):  48 single group
Electrical single component single winding  Thready Qty Per Inch (tpi):  48 single group  Thread Size:
Electrical single component single winding  Thready Qty Per Inch (tpi):  48 single group  Thread Size:  0.099 inches single group
Electrical single component single winding  Thready Qty Per Inch (tpi):  48 single group  Thread Size:  0.099 inches single group  Winding Operating Current:
Electrical single component single winding  Thready Qty Per Inch (tpi):  48 single group  Thread Size:  0.099 inches single group  Winding Operating Current:  0.3 milliamperes dc single component single winding
Electrical single component single winding  Thready Qty Per Inch (tpi):  48 single group  Thread Size:  0.099 inches single group  Winding Operating Current:  0.3 milliamperes dc single component single winding  Thread Series Designator:
Electrical single component single winding  Thready Qty Per Inch (tpi):  48 single group  Thread Size:  0.099 inches single group  Winding Operating Current:  0.3 milliamperes dc single component single winding  Thread Series Designator:  Unc single group
Electrical single component single winding  Thready Qty Per Inch (tpi):  48 single group  Thread Size:  0.099 inches single group  Winding Operating Current:  0.3 milliamperes dc single component single winding  Thread Series Designator:  Unc single group  Terminal Type And Quantity:
Electrical single component single winding  Thready Qty Per Inch (tpi):  48 single group  Thread Size:  0.099 inches single group  Winding Operating Current:  0.3 milliamperes dc single component single winding  Thread Series Designator:  Unc single group  Terminal Type And Quantity:  2 tab, solder lug
Electrical single component single winding  Thready Qty Per Inch (tpi):  48 single group  Thread Size:  0.099 inches single group  Winding Operating Current:  0.3 milliamperes dc single component single winding  Thread Series Designator:  Unc single group  Terminal Type And Quantity:  2 tab, solder lug  Shelf Life:
Electrical single component single winding  Thready Qty Per Inch (tpi):  48 single group  Thread Size:  0.099 inches single group  Winding Operating Current:  0.3 milliamperes dc single component single winding  Thread Series Designator:  Unc single group  Terminal Type And Quantity:  2 tab, solder lug  Shelf Life:  N/a
Electrical single component single winding  Thready Qty Per Inch (tpi):  48 single group  Thread Size:  0.099 inches single group  Winding Operating Current:  0.3 milliamperes dc single component single winding  Thread Series Designator:  Unc single group  Terminal Type And Quantity:  2 tab, solder lug  Shelf Life:  N/a  Unit Of Measure:
Electrical single component single winding  Thready Qty Per Inch (tpi):  48 single group  Thread Size:  0.099 inches single group  Winding Operating Current:  0.3 milliamperes dc single component single winding  Thread Series Designator:  Unc single group  Terminal Type And Quantity:  2 tab, solder lug  Shelf Life:  N/a  Unit Of Measure:
Electrical single component single winding  Thready Qty Per Inch (tpi):  48 single group  Thread Size:  0.099 inches single group  Winding Operating Current:  0.3 milliamperes dc single component single winding  Thread Series Designator:  Unc single group  Terminal Type And Quantity:  2 tab, solder lug  Shelf Life:  N/a  Unit Of Measure:   Demilitarization: