## NSN 5950-00-880-9044

Reactor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5950-00-880-9044

| Reliability Indicator:  |
|---|
| Not established   |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 0.938 inches single mounting facility single center group                 |
| Center To Center Distance Between Mounting Facilities Parallel To Width:  |
| 1.312 inches single mounting facility single center group                 |
| Inductance Type:  |
| Fixed   |
| Inductance Rating:  |
| 46.00 millihenries single component single winding                        |
| Body Length:  |
| 1.906 inches  |
| Body Width:   |
| 1.531 inches  |
| Body Height:  |
| 2.531 inches  |
| Winding Quantity:   |
| 1 single component  |
| Inclosure Type:   |
| Fully enclosed  |
| Mounting Facility Quantity:   |
| 4 single group  |
| Mounting Method:  |
| Threaded hole single group  |
| Rating Method:  |
| Electrical single component single winding                                |
| Thready Qty Per Inch (tpi):   |
| 32 single group   |
| Thread Size:  |
| 0.138 inches single group   |
| Winding Operating Current:  |
| 500.0 milliamperes dc single component single winding                     |
| Thread Series Designator:   |
| Unc single group  |
| Terminal Type And Quantity:   |
| 2 solder stud   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |

No

Demilitarization:

## NSN 5950-00-880-9044

Reactor - Page 2 of 2



Fiig:

A058b0