

View Online at <https://aerobasegroup.com/nsn/5950-00-881-1910>

Reliability Indicator:

Not established

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.344 inches single mounting facility single center group

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.656 inches single mounting facility single center group

Frequency Rating:

400.0 hertz single component

Input-output Phase Relationship:

Single phase to single phase single component

Body Length:

4.250 inches

Body Width:

3.625 inches

Body Height:

4.250 inches

Inclosure Type:

Fully enclosed

Mounting Facility Quantity:

4 single group

Mounting Method:

Threaded stud single group

Winding Function And Quantity:

1 primary single component and 1 secondary single component

Thready Qty Per Inch (tpi):

20 single group

Thread Size:

0.250 inches single group

Winding Operating Current:

250.0 milliamperes dc single component single secondary

Winding Operating Voltage:

115.00 ac pounds per hour wet single component single primary

Special Features:

Case metal material; 1.000 in. O/a height of terminals

Thread Series Designator:

Unc single group

Terminal Type And Quantity:

4 standoff, threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A058b0